J. of Ramanujan Society of Math. and Math. Sc. Vol.3, No.2 (2014), pp. 89-92

A Mathematical Study of Recurrent-Vector Field in a Kaehlerian Space

ISSN: 2319-1023

Rajeev Kumar Singh and Maninder Singh Arora*,

Department of Mathematics,

P.B.P.G. College, Pratapgarh (U.P.) India

E-mail: profrajeevsingh@gmail.com

*Department of Mathematics,

P.P.N. College, Kanpur (U.P.) India

E-mail: maninder arora4@rediffmail.com

Abstract: In this paper we have discussed about recurrent vector field V^h with respect to complex conformal connection Γ^h_{ji} . Also we have obtained results about a vector field recurrent with respect to special semi-symmetric metric F-connection.

Keywords and phrases: Recurrent vector field, complex conformal connection.

1. Introduction

Various connections like conformal complex connections, special semi-symmetric metric F-connections, besides the well known Christoffel symbols are introduced and studies by several mathematicians. We have mentioned the basic result and the covariant derivatives of a vector field with respect to them are shown to be connected. We have discussed the most general analytic k-torse forming vectors existing in Kaehlerian spaces. We have devoted to the study of parallel and recurrent vector fields in Kaehlerian space.

In real 2n-dimensional Kaehlerian space with F_i^h as structure tensor and g_{ji} as Hermitian metric, several connection parameters other than the Christoffel symbols are known. Since structure tensor is covariant with respect of $\left\{ \begin{array}{c} h \\ ij \end{array} \right\}$, all these connections Γ_{ji}^h with respect to whom the covariant derivatives of structure tensor vanishes identically are called F-connection.

A connection parameter having Γ_{ii}^h as its components given by

$$\Gamma_{ji}^{h} = \left\{ \begin{array}{c} h \\ ij \end{array} \right\} + \delta_{j}^{h} p_{i} + \delta_{i}^{h} p_{j} - g_{ji} p^{h} + F_{j}^{h} q_{i} - F_{ji} q^{h}$$

where $p_i = \partial_{ip}$, $p^h = g^{th}p_t$, $q_i = -p_tF_i^t$, $q^h = -q_tg^{th}$ and P is some scalar point function, has been called complex conformal connection.

2. Recurrent Field